

Maximum Performance (MaP) of UNAR-Compliant High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

June 2009 listing

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	2	3	E						HET		F
14-052	American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000		2	3	E						HET		F
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	WS	2	3	E	*					HET		F
14-054	American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000		2	3	E	*					HET		F
14-055	American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000		1	3	E	*					HET		F
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	2	3	R						HET		F
14-053	American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000		2	3	R						HET		F
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*	*				HET		F
WS-14	American Standard	Cadet Flowise EL	2462.100: 3481.100 bowl, 4142.100 tank	NM	WS	2	-	E						HET		F
WS-14	American Standard	Cadet Flowise EL ADA	2467.100: 3483.100 bowl, 4142.100 tank	NM	WS	2	-	E	*					HET		F
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	WS	1	3	E	*					HET		F
10-126	American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	WS	2	2	E		*				HET		F
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	WS	2	2	E		*				HET		F
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.	600	WS	2		E	*	*				HET		F
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined)	500	WS	2	2	E	*	*				HET		F
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	E						HET		F
14-132	American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	WS	2	2	E		*				HET		F
14-131	American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	WS	2	2	E	*	*				HET		F
14-133	American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	WS	2	2	R		*				HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										HET	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
13-089	American Standard	Mainstream FloWise RF	3468.128: 3061.428 bowl, 4061.428 tank	800	WS	2	2	R						HET	F	
WS-14	American Standard	Yorkville EL	2876.100: 3701.100 bowl, 4142.100 tank	NM	WS	2	-	E						HET	R W	
WS-14	American Standard	Yorkville EL ADA	2878.100: 3703.100 bowl, 4142.100 tank	NM	WS	2	-	E	*					HET	R W	
7-535	Aquadis	CT-A1200 RF	CT-A1200 (bowl & tank models nos. not identified)	300		2	2	R		*				HET	F	
10-055	Aquadis	Tytane EL	TY350 (one piece)	350		1	2	E		*				HET	F	
14-030	Aquasenses - Chongqing Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	WS	2		R						HET	F	
14-076	AquaSource (Lowe's)	HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*					HET	F	
14-115	AquaSource (Lowe's)	HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3	E	*					HET	F	
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	WS	2		E	*					HET	F	
11-087	Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400		2	2	E		*				HET	F	
WS-12	Briggs	None EL	4208: 4375 bowl, 4484 tank	NM	WS	2		E		*				HET	F	
WS-12	Briggs	None RF	4207: 4370 bowl, 4484 tank	NM	WS	2		R		*				HET	F	
5-510	Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500		2	-	E						HET	F	
5-511	Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400		2	-	E						HET	F	
5-513	Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500		2	-	E	*					HET	F	
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	WS	2	-	R		*				HET	F	
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	WS	2	-	R		*				HET	F	
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	WS	2	-	R	*	*				HET	F	
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	WS	2	-	R	*	*				HET	F	
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	R		*				HET	F	
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	E		*				HET	F	
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	E	*	*				HET	F	
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	WS	2	-	E	*	*				HET	F	
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	R		*				HET	F	
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	WS	2	-	E		*				HET	F	
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	2	-	R		*				HET	F	
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	-	E		*				HET	F	
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	-	E	*	*				HET	F	
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	WS	2	-	R		*				HET	F	
5-509	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	WS	2	-	R	*	*				HET	F	
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	-	E		*				HET	F	
5-508	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	WS	2	-	R		*				HET	F	
14-025	Caroma	Caravelle One-Piece RF	989646	700	WS	1	-	R		*				HET	F	
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	WS	1	-	R	*	*				HET	F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	R		*			HET			F
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	WS	2	-	R	*	*			HET			F
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	WS	2	-	R		1.2g 4.5L			HET			F
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500		2	-	E		*			HET			F
5-507	Caroma	Reflections 270 RF	989720: 609159 bowl, 629530 tank	650		2	-	R		*			HET			F
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600		2	-	R		*			HET			F
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	E		*			HET			F
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	800	WS	2	-	E	*	*			HET			F
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	2	-	R		*			HET			F
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	E	*	*			HET			F
5-519	Caroma	Royale 305 EL	609130 bowl, 629530 tank	800	WS	2	-	E		*			HET			F
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	WS	2	-	R		*			HET			F
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	E		*			HET			F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	E	*	*			HET			F
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	E		*			HET			F
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	E	*	*			HET			F
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	WS	2	-	E		*			HET			F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	WS	2	-	R		*			HET			F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	WS	2	-	E	*	*			HET			F
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	WS	2	-	E		*			HET			F
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	WS	2	-	R		*			HET			F
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	WS	2	-	R	*	*			HET			F
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	WS	2	-	E		*			HET			F
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	WS	2	-	R		*			HET			F
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	800	WS	2	-	E		1.3g 4.9L			HET			F
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	800	WS	2	-	E	*	1.3g 4.9L			HET			F
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	800	WS	2	-	R		1.3g 4.9L			HET			F
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	800	WS	2	-	R	*	1.3g 4.9L			HET			F
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	WS	2	-	E		1.3g 4.9L			HET			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)			
												KEY: Flush performance (MaP score)	Type/technology of toilet fixture	Dual-Flush			Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	
														350 grams to 475 grams					NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.
														500 grams and more					
														6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)					
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
11-116 & 12003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	2	-	R		1.3g 4.9L		HET			F				
14-026	Caroma	Sydney Smart Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	WS	2	-			1.3g 4.9L		HET		R	F				
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500		2	-	E	*	*		HET		R	W				
14-049	Cascadian	Regal/Toscano EL ADA	C930 bowl, T901 tank	1,000	WS	2	3	E	*				HET		F				
WS-13	CE Union International	None	6810H: X-6810H bowl, T-6810H tank	NM	WS	2		R				HET							
WS-13	CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	WS	2		R					HET						
WS-13	CE Union International	None	6811H: X-6811H bowl, T-6811H tank	NM	WS	2		E				HET							
WS-13	CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	WS	2		E					HET						
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	2		E					HET		F				
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	2		E					HET		F				
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	2		R					HET		F				
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	2		E					HET		F				
WS-14	Cerapure Industries	None EL ADA	CT-6008D	NM	WS	2		E	*			HET			F				
WS-12	Cerapure Industries	None EL ADA (one-piece)	C-3432D	NM	WS	1		E	*	*		HET			F				
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	2		R					HET		F				
14-046	Chelini	Bournelli RF	B1415R bowl, T14248 tank (lined tank)	500		2	2	R					HET		F				
14-020	Chelini	Cabot EL ADA	B1516E bowl, T10348 tank (lined tank)	1,000		2	3	E	*				HET		F				
14-079	Chelini	Cabot RF ADA	B1516R bowl, T10348 tank (lined tank)	800		2	3	R	*				HET		F				
14-080	Chelini	Marriot EL	B1215E bowl, TDF1246 tank (lined tank)	400		2	2.5	E		*		HET			F				
14-019	Chelini	Marriot EL	B125E bowl, TDF1246 tank (lined tank)	400		2	2	E		*		HET			F				
14-047	Chelini	Marriot EL ADA	B1216E bowl, TDF1246 tank (lined tank)	800		2	2	E	*	*		HET			F				
13-066	Chelini	Marriot RF	B1215R/TDF1246: B1215R bowl, TDF1246 tank	600		2	2.5	R		*		HET			F				
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	WS	2	3	E					HET		F				
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	WS	2	3	R					HET		F				
13-126	Contrac	Captiva EL ADA	4710BIV	800	WS	1	3	E	*				HET		F				
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	WS	2	3	E	*				HET		F				
14-069	Contrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	WS	1	2	S		*		HET			F				
14-070	Contrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	WS	1	2	E		*		HET			F				
14-061	Contrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	WS	2	2	E		*		HET			F				
14-068	Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	WS	2	2	E	*	*		HET			F				
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	WS	2	3	E	*				HET		F				

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
11-084	Contrac	None RF	4710BFZ (one piece with insulated tank)	500		1	2.5	R		*			HET			F
11-085	Contrac	None RF	4710BFZU (one piece)	600		1	2.5	R		*			HET			F
11-080	Contrac	None RF	4720BFZ combination (lined tank)	600		2	2	R		*			HET			F
11-081	Contrac	None RF	4720BFZU combination	550		2	2	R		*			HET			F
14-060	Contrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	WS	2	2	R		*			HET			F
WS-11	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-	E		*			HET			F
13-014	Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800		2	2	E	*	*			HET			F
13-013	Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800		2	2	E	*	*			HET			F
WS	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-	R		*			HET			F
WS	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-	R		*			HET			F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R						HET		F
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	2	3	R						HET		F
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	NM	WS	2		R					HET			F
WS-11	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2		E		*			HET			F
WS	Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	NM	WS	2		E					HET			F
WS	Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	NM	WS	2		E					HET			F
13-016	Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600		2	2	E	*	*			HET			F
13-015	Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600		2	2	E	*	*			HET			F
WS-11	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2		R		*			HET			F
WS	Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	NM	WS	2		R					HET			F
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	WS	2	-	E			*		HET			F
WS-11	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-	E	*		*		HET			F
WS	Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	NM	WS	2	-	E			*		HET		R	F
WS	Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	NM	WS	2	-	E	*		*		HET		R	F
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000		2	-	E					HET			F
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000		2	-	E					HET			F
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000		2	-	E	*				HET			F
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2		R			*		HET			F
14-119	Crane	Economiser EL	3837: 3827100 bowl, 3612100 tank	600		2	-	E					HET		R	F
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-	E					HET			F
WS-11	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-	E	*				HET			F
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-	R					HET			F
10-035	Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000		2	-	E					HET			F
10-034	Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000		2	-	E	*				HET			F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP score)										Type/technology of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
		500 grams and more															
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)															
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
	Model Name	Model Number															
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000		2	-	R						HET		F	
14-120	Crane	Economiser RF	3836: 3826100 bowl, 3612100 tank	600		2	-	R						HET	R	F	
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	2		E	*						HET	F	
WS-14	Danze	Orrington EL ADA	DC013330 bowl, DC012323 tank	NM	WS	2		E	*					HET		F	
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000		2	3	E	*					HET		F	
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*				HET		R W	
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*				HET		R W	
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	R	*	*				HET		R W	
WS-13	Duravit	D-Code	011701 bowl, 092720 tank	NM	WS	2									HET	F	
13-070	Duravit	D-Code	220909 bowl, used with in-wall tank	500	WS	2		S	*	*				HET		R W	
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*				HET		R W	
WS-13	Duravit	Happy D	017009 bowl, 091010 tank	NM	WS	2				*				HET		F	
6-605	Duravit	Happy D RF	017009 bowl, 091000-05 tank	600		2	2	R	*	*				HET		R W	
6-604	Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600	WS	2	2	R	*	*				HET		R W	
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*				HET		R W	
WS-13	Duravit	Starck 3	012809 bowl, 092010 tank	NM	WS	2				*				HET		F	
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	R	*	*				HET		R W	
WS-13	Duravit	Starck X	220409 bowl, used with in-wall tank	NM	WS	2		S	*	*				HET		R W	
WS-13	Duravit	Vero	211609 bowl, 090910 tank	NM	WS	2				*				HET		F	
WS-13	Duravit	Vero	211709 bowl, 109.304 in-wall tank (Geberit)	NM	WS	2	2	S	*	*				HET		F	
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*				HET		R W	
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800		2	-	E						HET		F	
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800		2	-	E	*					HET		F	
12-016	Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	WS	2	-	R	*		*			HET		F	
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042)	700		2	3	E	*						HET	F	
12-017	Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	WS	2	-	E	*		*			HET		F	
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	WS	2	3	E	*						HET	F	
13-141	Foremost	Europa EL (one-piece with lined tank)	TL-8271E-*L (one-piece with lined tank)	800		1	2	E	*					HET		F	
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA	TL-2100-*L (one-piece)	1,000	WS	1	2	S	*	*				HET		F	
8-539	Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-L tank (lined)	800		2	2	R		*				HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
13-140	Foremost	Genie EL (lined tank)	TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined tank)	700		2	2	E					HET			F
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	1	3	E						HET		F
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	WS	2	3	E	*					HET		F
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	2	3	E	*					HET		F
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	WS	2	3	E	*					HET		F
13-130	Foremost	HET EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (ALSO SOLD as TL-8295-WL when offered as the All-In-One version)	900	WS	2	3	E	*					HET		F
14-075	Foremost	HET EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim)	900		2	3	E	*					HET		F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource Lowe's SKU#0005905)	400	WS	2	3	E	*					HET		F
13-130	Foremost	HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	WS	2	3	E	*					HET		F
14-073	Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	WS	1	3	E	*	*			HET			F
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	WS	1	3	E	*					HET		F
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	WS	1	3	E	*					HET		F
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (insulated tank)	1,000	WS	2	3	R	*					HET		F
13-132	Foremost	HET RF ADA	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank (Fluidmaster tank trim)	900	WS	2	3	R	*					HET		F
14-081	Foremost	HET RF ADA	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550		2	3	R	*					HET		F
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600		2	3	R	*					HET		F
8-530	Foremost	Moline EL	TL-8267-*L: LL-8267 bowl, T-8267 tank (lined)	700		2	2.5	S		*			HET			F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	2	3	E	*					HET		
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	WS	2	3	E	*					HET		F
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600		1	3	E	*					HET		F
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	WS	1	3	E	*					HET		F
14-113	Foremost	None RF (lined tank)	TL-5207-*L2:	600		2	3	R						HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
14-111	Foremost	None RF (lined tank)	TL-8207-*L4:	800		2	3	R						HET		F
14-074	Foremost	Odessa RF (one-piece with lined tank)	TL-8260-*L (one-piece with lined tank)	800	WS	1	2	S		*			HET			F
11-001	Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	WS	2	2.5	S		*			HET			F
13-142	Foremost	Regent RF	TL-5210-*L (one piece - lined tank)	750		1	2	R					HET			F
11-073	Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	2.5	R		*			HET			F
13-136	Foremost	Benton EL	TL-7100-WL(one Piece)	250		1	2	E		*			HET			F
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	WS	2	3	E	*					HET		F
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	2	3	R	*					HET		
13-134	Foremost	Total Advantage EL (one-piece with lined tank)	TT-2000E-*L (one piece with lined tank)	1,000	WS	1	2	E					HET			F
14-089	Gerber	Avalanche EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	WS	2	3	E	*					HET		F
14-099	Gerber	Maxwell EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	WS	2	2	E	*	*			HET			F
14-103	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	WS	2	-	E			*				R	F
5-564	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	WS	2	-	E			*		HET			F
5-580	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	WS	2	-	E			*		HET			F
5-560	Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	WS	2	-	E	*		*		HET			F
5-586	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	WS	2	-	E	*		*		HET			F
5-567	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	WS	2	-	E	*		*		HET		R	F
5-560	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000		2	-	E	*		*		HET			F
6-616	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	WS	2	-	R			*		HET			F
6-620	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	WS	2	-	R			*		HET			F
14-104	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	WS	2	-	E						HET	R	F
5-559	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	WS	2	-	E	*					HET		F
5-563	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	WS	2	-	E	*					HET		F
5-576	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*					HET		F
5-584	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*					HET		F
5-566	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	WS	2	-	E	*					HET	R	F
5-559	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800		2	-	E	*					HET		F
6-615	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	WS	2	-	R						HET		F
6-619	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	WS	2	-	R						HET		F
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400		2	2	E		*			HET			F
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350		2	2	R		*			HET			F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP score)										Type/technology of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
		500 grams and more															
		Type/technology of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist													
Model Name	Model Number																
14-002	Hennessy & Hinchcliffe	None - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	500	WS	2	2	E	*	0.8g 3L				HET	F		
14-003	Hennessy & Hinchcliffe	None - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	400	WS	2	2	R	*	0.8g 3L				HET	F		
14-043	Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold in Combination All-In-One package as Home Depot SKU 215-583 - UPC Code 732291231619)	1,000		2	2.5	E	*	*			HET		F		
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	WS	2		R						HET	F		
11-086	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - Sold combined as Home Depot SKU 331-725 (Foremost Model BT6001)	1,000	WS	2		E	*	*				HET	F		
WS-14	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF	HD SKU: 535-904: LL-7600-HETR bowl, T-7600-HET-YL tank	NM	WS	2		R						HET	F		
12-038	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA	N2225R: N2225RB bowl, N22225T tank (ALSO SOLD AS ALL-IN-ONE PACKAGE BY HOME DEPOT UPC CODE 732291222549)	1,000		2	-	R	*					HET	F		
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 779-923	1,000	WS	2	-	R	*					HET	F		
12-129	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	600	WS	2	3	E	*					HET	F		
8-540	Home Depot - Pegasus	Dual-Flush RF	Home Depot SKU 131-926	800		2	-	R		*			HET		F		
5-534	Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	HD SKU 477-546: 3107 bowl, 3427 tank	400		2	-	E		*			HET		F		
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036)	800	WS	2	3	E	*					HET	F		
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combination All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	2	-	E	*					HET	F		
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 780-036 & UPC Code 732291344685	1,000	WS	2	3	E	*					HET	F		
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	WS	2	-	E	*					HET	F		
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	WS	2	-	E					HET		F		
13-037	Jacuzzi	Espree EL ADA	Sold as complete toilet set. Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	WS	2	3	E	*					HET	F		
14-057	Jacuzzi	Perfecta EL ADA	Sold as complete toilet set. Jacuzzi SKU GU04959: BN30 bowl, BN31 tank (Also sold as Lowe's SKU 312978)	1,000	WS	2	3	E	*					HET	F		

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4-L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	2	-	E					HET		R	F
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2	3	E	*				HET			F
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	2		E		*			HET			F
WS-12	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	NM	WS	1		E	*		*		HET			F
12-074	Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	WS	2		E	*				HET			F
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	WS	2	2.5	E		*			HET			F
12-094	Kohler	Saile EL	K-3564 (one piece)	500	WS	1		E		*			HET			F
5-506	Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850		1	-	E			*		HET			F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	WS	1	-	E	*		*-at 1.4-g		HET			F
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	1	-	E	*				HET			F
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	WS	2	2	E		*			HET			F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	WS	2	2	R		*			HET			F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	WS	2	-	E		*			HET			F
WS	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	NM	WS	2	-	R		*			HET			F
WS	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	NM	WS	2	-	E		*			HET			F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	WS	2	-	E					HET			F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	WS	2	-	E	*				HET			F
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*				HET			F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3	E	*				HET			F
WS-13	Luoyang Meidiya	None	6810H: (individual tank and bowl nos. not avail)	NM	WS	2		R					HET			
WS-13	Luoyang Meidiya	None	6810H-S: (individual tank and bowl nos. not avail)	NM	WS	2		R					HET			
WS-13	Luoyang Meidiya	None	6811H: (individual tank and bowl nos. not avail)	NM	WS	2		E					HET			
WS-13	Luoyang Meidiya	None	6811H-S: (individual tank and bowl nos. not avail)	NM	WS	2		E					HET			
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	WS	2	-	E	*		*		HET		R	W
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	WS	2	-	E			*		HET			F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	WS	2	-	E			*		HET		R	F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	WS	2	-	E	*		*		HET			F
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	WS	2	-	R			*		HET			F
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	2	3						HET			F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000		2	3	E	*				HET			F
14-034	Mansfield	None RF	113 bowl, 112 tank	700		2	3	R					HET			F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	1	-	E					HET			F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	WS	2	-	E	*				HET		R	W
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	WS	2	-	E					HET			F
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	WS	2	-	E					HET		R	F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	WS	2	-	E	*				HET			F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	WS	2	-	R					HET			F
14-024	Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800		2	2.5	E	*	*			HET			F
WS-14	Milim G&G Ceramics	None EL	C21075C: C531082 bowl, C600137 tank	NM	WS	2		E		*			HET			F
12-037	Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	WS	1	2	E		*			HET			F
13-068	Niagara	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in All-In-One combination package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	2	-	E	*					HET		F
14-043	Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231619)	1,000		2	2.5	E	*	*			HET			F
14-105	Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000		2	2.5	E	*	*			HET			F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	WS	2	-	E	*					HET		F
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)	1,000		2	-	R						HET		F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET below - Report No. 12-038)	500	WS	2	-	R						HET		F
13-064	Niagara	Flapperless EL ADA	N4417 bowl, N4415T tank	800		2	-	E	*					HET		F
13-060	Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	WS	2	-	E	*					HET		F
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	WS	2	3	E	*					HET		F
11-046	Niagara	None EL	N4418 (one piece)	500		1	-	E						HET		F
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank (R&T fill valve)	650		2	3	E	*					HET		F
13-008	Niagara	None RF	N4416: N4416 bowl, N4415T tank	1,000		2	-	R						HET		F
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	WS	2	-	E					HET			F
WS-13	Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	NM	WS	2		E		*			HET			F
WS-13	Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	NM	WS	2		E	*	*			HET			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
				Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
				350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
				500 grams and more														
				Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
4-L (1.1-gal) Pressure-assist (HET)																		
Gravity-fed & Vacuum-assist																		
WS-13	Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	NM	WS	2		R		*			HET			F		
WS-12	Orion	Green Sense EL	50320 bowl, 51299 tank	NM	WS	2		E							HET	F		
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	WS	2		R							HET	F		
5-514	Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500		2	-	E	*					HET		F		
5-512	Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400		2	-	E						HET		F		
13-115	Price Pfister	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000		2	3	E		*				HET		F		
13-062	Price Pfister	None EL ADA	VTP-E21: C-1003 bowl, S-1004 tank	1,000		2	3	E	*	*				HET		F		
13-061	Price Pfister	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000		2	3	E	*	*				HET		F		
WS-12	Pro-Flo (by Briggs for Ferguson)	None EL	PF9201 bowl; PF9212 tank	NM	WS	2		E		*				HET		F		
WS-12	Pro-Flo (by Briggs for Ferguson)	None RF	PF9200 bowl; PF9212 tank	NM	WS	2		R		*				HET		F		
11-066	Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	WS	2	2	E		*				HET		F		
11-065	Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	WS	2	2	E	*	*				HET		F		
11-067	Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	WS	2	2	R		*				HET		F		
13-109	Pro-Flo (by Tynan for Ferguson)	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	2	3	E	*						HET	F		
11-114	Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3	E							HET	F		
11-112	Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3	R							HET	F		
14-040	Pro-Flo (by Tynan for Ferguson)	None EL	PF1601: PF1601 bowl, PF1612 tank	900		2	-	E						HET		F		
13-104	Pro-Flo (by Tynan for Ferguson)	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	2		E							HET	F		
14-041	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF1603: PF1603 bowl, PF1612 tank	900		2	-	E	*					HET		F		
13-113	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	2		E							HET	F		
13-111	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	2	3	E	*						HET	F		
13-098	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	2		E							HET	F		
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	WS	2	3	E	*	*				HET		F		
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*						HET	F		
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*						HET	F		
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900		2	3	E	*	*				HET		F		
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500		2	2	E		*				HET		F		
14-045	Roca	Johnson Suisse, Cottage EL ADA (one-piece)	No number	400		1	2.5	E	*	1.25g 4.7L				HET		F		
13-141	Rona	Europa EL	SKU#7369129 (Foremost #TL-8271E-WL)	800		1	2	E						HET		F		
9-044 & 13-147	Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*L)	1,000	WS	1	2	S	*	*				HET		F		
8-539	Rona	Gemini Dual Flush RF	SKU# 7369067 (Foremost #TL-2005-*L)	800		2	2	R		*				HET		F		

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP score)										Type/technology of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4-L) Gravity
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
		500 grams and more															
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)															
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
Model Name	Model Number																
13-131	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR-*)L)	1,000	WS	2	3	R	*					HET		F	
8-530	Rona	Rona Collection	SKU#2003354 (Foremost #TL-8267-WL)	700		2	2.5	S		*				HET		F	
12-017	Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOT1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	WS	2		E	*		*			HET		F	
WS-13	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively)	NM	WS	2		E						HET		F	
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	WS	1	3	E						HET		F	
WS-13	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively)	NM	WS	2		R						HET		F	
14-030	Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	WS	2		R						HET		F	
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	WS	2	3	E	*					HET		F	
WS-13	Tangshan - Ayers Bath	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	NM	WS	2		E						HET		F	
WS-13	Tangshan - Ayers Bath	None RF (one-piece)	UAC1003BS-AA (one-piece)	NM	WS	1		R						HET		F	
5-516	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	WS	2	2	E		*				HET		F	
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	WS	2	2.5	E						HET		F	
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	WS	2	2.5	E						HET		F	
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	WS	2	2.5	E	*					HET		F	
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	WS	2	3	E	*					HET		F	
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	WS	2	3	E	*					HET		F	
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	WS	2	3	E	*					HET		F	
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	WS	2	3	E						HET		F	
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3	E	*					HET		F	
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3	R						HET		F	
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	WS	1	3	E	*					HET		F	
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	WS	1	3	E	*					HET		F	
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	WS	2	3	E	*					HET		F	
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	2	3	E	*					HET		F	
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	2	3	R						HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	1	3	E	*					HET	F	
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3	E						HET	F	
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	WS	1	3	E						HET	F	
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	WS	1	3	E						HET	F	
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	WS	1	3	E	*					HET	F	
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R						HET	F	
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	WS	2	3	E	*					HET	F	
13-143	Toto	Neorest EL	550	800		1	-	E			*		HET		F	
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	WS	1	3	E	*					HET	F	
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	2	3	E	*					HET	F	
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	2	3	E	*					HET	F	
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2	E		*			HET		F	
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2	E	*	*			HET		F	
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2	R		*			HET		F	
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	2	3	E	*					HET	F	
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	2	3	E	*					HET	F	
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	E						HET	F	
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	2	3	E	*					HET	F	
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	2	3	E	*					HET	F	
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R						HET	F	
14-031	Tynan Plumbing	None EL	4510: 7510 bowl, 1712 tank	900		2	-	E					HET		F	
14-032	Tynan Plumbing	None EL ADA	4512: 7512 bowl, 1712 tank	900		2	-	E	*				HET		F	
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	2	3	E	*					HET	F	
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	WS	2	2.5	E		*			HET		F	
WS-14	Villeroy & Boch	Subway EL	6610.10 bowl, 7723-U1 tank	NM	WS	2		E		*			HET			
6-627	VitrA	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	E	*				HET		F	
6-607	VitrA	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2	E	*	*			HET		F	
10-108	VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	R		*			HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	2	2	E	*						HET	F
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	2	2	R	*						HET	F
	Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	NM	WS	2		E		*					HET	F
	Vortens-Lamosa	Delfos	3130	NM	WS	1				*					HET	F
WS-14	Vortens-Lamosa	Dominic Victory RF	3209 bowl, 3472 tank	NM	WS	2		R		*					HET	F
WS-14	Vortens-Lamosa	Dominic EL	3113 bowl, 3472 tank	NM	WS	2		E		*					HET	F
WS-14	Vortens-Lamosa	Dominic EL ADA	3123 bowl, 3472 tank	NM	WS	2		E	*	*					HET	F
WS-14	Vortens-Lamosa	Dominic RF	3208 bowl, 3472 tank	NM	WS	2		R		*					HET	F
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	2	3	E							HET	F
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	2	3	R							HET	F
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	2	3	E	*						HET	F
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	2	3	E							HET	F
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	2	3	E	*						HET	F
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	2	3	R							HET	F
5-534	Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400		2	-	E		*					HET	F
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	WS	2	-	E	*	*					HET	F
5-504	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	WS	2	-	E							HET	F
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	2		E	*						HET	F
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	WS	2	-	E	*						HET	F
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	2		E							HET	F
WS-12	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	NM	WS	2		E							HET	F
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	WS	2	2	E		*					HET	F
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	WS	2	2	R		*					HET	F
	Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	WS	2		R		*					HET	F
WS-12	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	NM	WS	2		R		*					HET	F
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	WS	2	2	R		*					HET	F
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550		2	2	E		*					HET	F
10-117 & 12-120	Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank	1,000		2	-	E							HET	F
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	2		E							HET	
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	2		E							HET	
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	2		E							HET	F
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	2		E							HET	F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
6-637	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	WS	2	-	E			*	HET			F	
6-639	Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	WS	2	-	E	*		*	HET			F	
6-634	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	WS	2	-	E					HET		F	
6-638	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	WS	2	-	E	*				HET		F	
WS-12	Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	NM	WS	2		R			*	HET			F	
WS-12	Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	NM	WS	2	-	R					HET		F	

Notes: RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

G - Gallons per Flush

L - Litres per Flush

RN - Renewed Listing